

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L6	15986	(print\$4 or record\$4) and (voltage same (control\$4 or adjust\$4 or regulat\$4 or convert\$4)) and comparat\$4 and modulat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/24 12:39
L7	3715	6 and ((voltage same (control\$4 or adjust\$4 or regulat\$4 or convert\$4))) and comparat\$4 and (pulse near2 width near2 modulat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/24 12:25
L8	1755	7 and ((voltage same (control\$4 or adjust\$4 or regulat\$4 or convert\$4))) and (comparat\$4 same voltage same (reference or predetermin\$4)) and (pulse near2 width near2 modulat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/24 12:26
L9	1451	8 and ((voltage same (control\$4 or adjust\$4 or regulat\$4 or convert\$4))) and (comparat\$4 same voltage same (reference or predetermin\$4) same (output)) and (pulse near2 width near2 modulat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/24 12:26
L10	100	9 and ((voltage with (control\$4 or adjust\$4 or regulat\$4 or convert\$4)) same (printhead\$1 or head\$1)) and (comparat\$4 same voltage same (reference or predetermin\$4) same (output)) and (pulse near2 width near2 modulat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/24 12:27
L11	21	10 and ((voltage with (control\$4 or adjust\$4 or regulat\$4 or convert\$4)) same (printhead\$1 or head\$1)) and (comparat\$4 same voltage same (reference or predetermin\$4) same (output) same divid\$4) and (pulse near2 width near2 modulat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/24 12:33
L12	79	10 not 11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/24 12:33
L13	79	12 and (detect\$4 or sens\$4 or measur\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/24 12:33

L14	39	13 and ((feed\$4 near3 back\$4) or feedback\$4 or (fed near2 back))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/24 12:34
L15	12159	((power or voltage) same (regulat\$4)) and (detect\$4 or sens\$4) and (((feed\$4 or fed) near2 back) or feedback\$4) same (output near3 voltage\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/24 12:44
L16	5971	15 and ((power or voltage) same (regulat\$4)) and (detect\$4 or sens\$4) and (((feed\$4 or fed) near2 back) or feedback\$4) same (output near3 voltage\$1)) and comparat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/24 12:45
L17	9837	15 and ((power or voltage) same (regulat\$4)) and (detect\$4 or sens\$4) and (((feed\$4 or fed) near2 back) or feedback\$4) same (output near3 voltage\$1)) and (comparat\$4 or compar\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/24 12:45
L18	4887	17 and ((power or voltage) same (regulat\$4)) and (detect\$4 or sens\$4) and (((feed\$4 or fed) near2 back) or feedback\$4) same (output near3 voltage\$1)) and (comparat\$4 or compar\$4) and (modulat\$4 or PWM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/24 12:46
L19	4735	18 and ((power or voltage) same (regulat\$4)) and (detect\$4 or sens\$4) and (((feed\$4 or fed) near2 back) or feedback\$4) same (output near3 voltage\$1)) and (comparat\$4 or compar\$4) and (reference or predermin\$4) and (modulat\$4 or PWM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/24 12:46
L20	4232	18 and ((power or voltage) same (regulat\$4)) and (detect\$4 or sens\$4) and (((feed\$4 or fed) near2 back) or feedback\$4) same (output near3 voltage\$1)) and (comparat\$4 or compar\$4) and (reference or predermin\$4) and (modulat\$4 or PWM) and (resistance\$1 or resistor\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/24 12:47

L21	3077	20 and ((power or voltage) same (regulat\$4)) and (detect\$4 or sens\$4) and (((feed\$4 or fed) near2 back) or feedback\$4) same (output near3 voltage\$1)) and ((comparat\$4 or compar\$4) same (reference or predermin\$4)) and (modulat\$4 or PWM) and (resistance\$1 or resistor\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/24 12:47
L22	2045	21 and ((power or voltage) same (regulat\$4)) and (detect\$4 or sens\$4) and (((feed\$4 or fed) near2 back) or feedback\$4) and ((output near3 voltage\$1) same (comparat\$4 or compar\$4) same (reference or predermin\$4)) and (modulat\$4 or PWM) and (resistance\$1 or resistor\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/24 12:49
L23	688	22 and ((power or voltage) same (regulat\$4)) and (resistance\$1 same (detect\$4 or sens\$4)) and (((feed\$4 or fed) near2 back) or feedback\$4) and ((output near3 voltage\$1) same (comparat\$4 or compar\$4) same (reference or predermin\$4)) and (modulat\$4 or PWM) and (resistance\$1 or resistor\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/24 12:49
L24	636	23 and ((power or voltage) same (regulat\$4)) and (resistance\$1 same (detect\$4 or sens\$4)) and (((feed\$4 or fed) near2 back) or feedback\$4) and ((output near3 voltage\$1) same (comparat\$4 or compar\$4) same (reference or predermin\$4)) and ((modulat\$4 or PWM) same (control\$4 or chang\$4 or adjust\$4 or correct\$4)) and (resistance\$1 or resistor\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/24 12:50
L26	600	24 and ((power or voltage) same (regulat\$4)) and (resistance\$1 same (detect\$4 or sens\$4)) and (((feed\$4 or fed) near2 back) or feedback\$4) and ((output near3 voltage\$1) same (comparat\$4 or compar\$4) same (reference or predermin\$4)) and ((modulat\$4 or PWM) same (control\$4 or chang\$4 or adjust\$4 or correct\$4) same (voltage\$1)) and (resistance\$1 or resistor\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/24 12:52

L27	413	26 and ((power or voltage) same (regulat\$4)) and (resistance\$1 same (detect\$4 or sens\$4)) and (((feed\$4 or fed) near2 back) or feedback\$4) and ((output near3 voltage\$1) same (comparat\$4 or compar\$4) same (reference or predermin\$4)) and ((modulat\$4 or PWM) same (control\$4 or chang\$4 or adjust\$4 or correct\$4) same (voltage\$1)) and ((resistance\$1 or resistor\$1) same divid\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/24 12:52
L28	187	27 and ((power or voltage) same (regulat\$4)) and (resistance\$1 same (detect\$4 or sens\$4)) and (((feed\$4 or fed) near2 back) or feedback\$4) and ((output near3 voltage\$1) same (comparat\$4 or compar\$4) same (reference or predermin\$4) same ((resistance\$1 or resistor\$1) same divid\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/24 12:53
L29	70	28 and (print\$4 or record\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/24 12:55
L30	5	29 and "347"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/24 13:16
L31	65	29 not 30	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/24 12:54
L32	70	29 and (((print\$4 or record\$4) adj head\$1) or printhead\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/24 13:05
L34	18	("3072837"   "3697851"   "4020408"   "4353113"   "4389702").PN. OR ("4541039").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/24 13:02
L35	117	28 not 29	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/24 13:16

L36	226	27 not 28	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/24 13:26
L37	2	36 and "347"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/24 13:17
L38	187	26 not 27	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/24 13:26
L39	87	38 and temperature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/24 14:10
L40	936	347/5,14,19.ccls.	US-PGPUB	OR	OFF	2005/09/24 14:10